

THE SCHOOL BOARD OF SARASOTA COUNTY, FLORIDA

MATERIALS MANAGEMENT DEPARTMENT

101 OLD VENICE ROAD

OSPREY, FLORIDA 34229

TELEPHONE (941) 486-2183

FAX (941) 486-2188

MEMORANDUM

TO: Members of the School Board

Lori White, Superintendent

Mitsi Corcoran, Chief Financial Officer

FROM: Pat Black, CPPB, Director of Materials Management

TITLE: APPROVAL TO AWARD BID #9034 FOR PETROLEUM PRODUCTS

Bids to provide 'Petroleum Products' were received from four vendors on March 3, 2009. The bid of Palmdale Oil Company, Inc., was the best low bid meeting the advertised specifications. Reasons for not selecting the apparent low bid are included with the bid tabulation. This bid is for a period of one year with the option to renew for two additional one-year periods. The funds for these purchases are contained in the operating budget allocated to the Transportation Department.

Requested by: Ellery Girard

"Failure to file a protest within the time prescribed in Section 120.57(3), Florida Statutes, or failure to post the protest bond or other security required by law within the time allowed for filing a bond shall constitute a waiver of proceedings under Chapter 120. Florida Statutes."

Posting Date: 03-31-09

Not to exceed

Fiscal Impact: \$75,000.00

Funding: 1101 Operating

Recommended Motion: That the bid of Palmdale Oil Company, Inc., to provide 'Petroleum Products' in an amount not to exceed \$75,000.00, be approved for award and purchase.

Opened: March 3, 2009 - 2:00 PM

| | old Tabdiation. Fetioleum Floducts - Bid #9034 | | | Opened. N | viaicii 3, 2009 - 2.00 Pivi |
|----------|---|---|------------------------------|------------------------------|-------------------------------|
| which a | must provide manufacturer's product specifications for bid is submitted. Vendor must provide documentation ctured from Group 2 base stock. | • | J.H. Williams Oil Company | J.H. Williams Oil Company | Palmdale Oil Company, Inc. |
| Item # | Description | Estimated Usage | | | |
| 1-A. | Motor Oil SAE 15W-40 Multi grade. Must meet API CI-4/SL with 2% or less ash by weight and TBN greater than 11. Oil will be pumped into a bulk storage tank. | 6,245 gallons (total for 3 sites) per gallon | \$6.60 | | \$5.82 |
| | Brand N | 76 T5X | | Fina Kappa DHD | |
| 1-B. | Motor Oil SAE 15W-40 Multi grade. Must meet API CJ-4/SM with 1% or less ash by weight and TBN not less than 8. Oil will be pumped into a bulk storage tank. | 2,000 gallons (total for 3 sites) per gallon | \$7.50 | | \$5.97 |
| | Brand N | 76 Fleet Supreme | | Fina Kappa Premium | |
| 2. | Hydraulic Oil Extreme pressure type with a viscosity of SUS 155 sec. @ 100° F, and with added rust and oxidation inhibitors. (HD32) | 220 gallons per 55 gallon drum | \$275.00 | | \$304.15 |
| | Brand N | Name of Product Bid: | 76 Megaflow 32 | | Fina Hydran 32 |
| For item | ns 3-4. Automatic Transmission Fluid | | | | |
| 3. | Tran Synd, TES 295, or approved equal. | 780 gal. total for both kinds of transmission fluid per 55 gallon drum | \$1,650.00 | \$715.00 | \$913.00 |
| | Brand N | Tran Synd | Amalie Universal Syn | Fina Synpro ATF | |
| 4. | Dextron III or approved equal | 780 gal. total for both kinds of transmission fluid per 55 gallon drum | \$275.00 | | \$378.40 |
| | Brand N | Name of Product Bid: | 76 Super ATF | | Fina Multi-purpose ATF |
| 5. | Gear Lubricant Multi purpose, meeting API Service Classification GL- 5 and MIL-PRF-2105E; SAE-85W 140. | 110 gallons per gallon | \$10.80 | | \$7.49 |
| | Brand N | Name of Product Bid: | 76 MP Gear 85W140 | | Fina Pontonic MPX 85-140 |

| E | Bid Tabulation: Petroleum Products - Bid #9034 | | | Opened: March 3, 2009 - 2:00 PM |
|---------|---|--|--------------------------|---|
| which a | must provide manufacturer's product specifications for bid is submitted. Vendor must provide documentation ctured from Group 2 base stock. | | Port Consolidated, Inc. | Ward Oil Company, Inc. |
| Item # | Description | Estimated Usage | | |
| 1-A. | Motor Oil SAE 15W-40 Multi grade. Must meet API CI-4/SL with 2% or less ash by weight and TBN greater than 11. Oil will be pumped into a bulk storage tank. | 6,245 gallons (total for 3 sites) per gallon | \$6.15 | \$6.22 |
| | Brand N | lame of Product Bid: | Chevron Ursa EC 15W40 | Fina Kappa DHD C14 plus 11754 |
| 1-B. | Motor Oil SAE 15W-40 Multi grade. Must meet API CJ-4/SM with 1% or less ash by weight and TBN not less than 8. Oil will be pumped into a bulk storage tank. | 2,000 gallons (total for 3 sites) per gallon | \$6.15 | \$6.37 |
| | Brand N | lame of Product Bid: | Chevron Ursa EC 15W40 | Fina Kappa Premium 11757 CJ4 |
| 2. | Hydraulic Oil Extreme pressure type with a viscosity of SUS 155 sec. @ 100° F, and with added rust and oxidation inhibitors. (HD32) | 220 gallons per 55 gallon drum | \$321.45 | \$282.15 |
| | Brand N | lame of Product Bid: | Shell AW-32 | Fina Hydran HYD |
| or item | ns 3-4. Automatic Transmission Fluid | | | |
| 3. | Tran Synd, TES 295, or approved equal. | 780 gal. total for both kinds of transmission fluid per 55 gallon drum | \$1,401.38 | \$709.50 |
| | Brand N | lame of Product Bid: | Chevron Synthetic ATF HD | Fina SynproATF 40410 |
| 4. | Dextron III or approved equal | 780 gal. total for both kinds of transmission fluid per 55 gallon drum | \$481.30 | \$306.90 |
| | Brand N | lame of Product Bid: | Chevron ATF Dex/Mercon | Fina MP ATF 12115 |
| 5. | Gear Lubricant Multi purpose, meeting API Service Classification GL- 5 and MIL-PRF-2105E; SAE-85W 140. | 110 gallons per gallon | \$7.59 | \$6.97 (55 gallon drum) |
| | Brand N | lame of Product Bid: | Chevron RPM G/L 85W140 | 845 13153-05 Xcel MP High Performance 85W140 GL 5 MT-1 |

Opened: March 3, 2009 - 2:00 PM

| | Bid Tabdiation. I Ciroledin I Toddets Bid #3004 | | | | | Opened. Wi | , | |
|--|---|--|-------------------------------------|--------------|-------------------------|--------------------------|--------------------------|--------------|
| Bidder must provide manufacturer's product specifications for each product for which a bid is submitted. Vendor must provide documentation that motor oil is manufactured from Group 2 base stock. | | J.H. Williams Oil Company | | | Villiams ompany | | | |
| 6. | Chassis Lubricant Extreme pressure lithium type - 12 Hydroxy Stearate base grease of #2 NLGI consistency. | 120 pounds per pound | \$2.02 | | | | \$1.69 | |
| | Brand N | Name of Product Bid: | 76 Multiplex Red | | | | Fina Ma | arson Liplex |
| | ms 7-8. Anti-Freeze - Estimated usage is listed below for fanti-freeze. | or premix for both | | | | | | |
| | | | premix | concentrate | premix | concentrate | premix | concentrate |
| 7. | Ethylene Glycol - green, Chevron Supreme Coolant or approved equal. | Premix: 275 gal. Conc: 165 gal. per 55 gallon drum | \$275.00 | \$357.50 | | | \$239.80 | \$333.85 |
| | Brand N | Name of Product Bid: | Texaco Anti-Freeze Premium 50/50 | | | | Fina Anti-Freeze | |
| 8. | Fully Formulated Ethylene Glycol - purple, Chevron Delo or approved equal. | 330 gal. of premix per 55 gallon drum | \$371.25 | | | | \$ | 378.40 |
| | Brand N | Name of Product Bid: | Texaco ELC | | | Fina Long Life | | |
| Purcha | Purchasing Card Program - Indicate Yes or No. | | | No | | | | Yes |
| | Contact Name: | | Larry | McGary | Larry McGary | | Lachlan Cheatham | |
| | Address: | | 878 12th | Street East | 878 12th Street East | | 911 N. 2nd Street | |
| | City, State, Zip: | | Bradenton | n, FL 34208 | Bradenton, FL 34208 | | Ft. Pierce, FL 34950 | |
| | Telephone: | | 941-746 | -2125 x26 | 941-746-2125 x26 | | 772-461-2300 | |
| | Fax: | | 941-70 | 08-6849 | 941-708-6849 | | 772-595-0843 | |
| | Federal I.D. #: | | 590572743 | | 5905 | 0572743 592358666 | | |
| | E-Mail: | | larry.mcgary | y@jhwoil.com | larry.mcgary@jhwoil.com | | lach@ palmdaleoil.com | |
| | | | | | | | | |
| | | | | | | | | |

| | Bid Tabulation: Petroleum Products - Bid #9034 | | | | Opened: March | 3, 2009 - 2:00 PM |
|--|---|--|-------------------------|---|---|---|
| Bidder must provide manufacturer's product specifications for each product for which a bid is submitted. Vendor must provide documentation that motor oil is manufactured from Group 2 base stock. | | | Port Consolidated, Inc. | | Ward Oil Company, Inc. | |
| 6. | Chassis Lubricant Extreme pressure lithium type - 12 Hydroxy Stearate base grease of #2 NLGI consistency. | 120 pounds per pound | \$1.96 | | \$1.40 (120 pound keg) | |
| | Brand N | Name of Product Bid: | Chevron Ultra Duty EP2 | | 12 Hydroxy Stearate Fina Marson EPL 2 | |
| | ms 7-8. Anti-Freeze - Estimated usage is listed below for anti-freeze. | or premix for both | | | | |
| | | | premix | concentrate | premix | concentrate |
| 7. | Ethylene Glycol - green, Chevron Supreme Coolant or approved equal. | Premix: 275 gal. Conc: 165 gal. per 55 gallon drum | \$365.40 | \$558.60 | \$364.65 | \$508.20 |
| | Brand Name of Product Bid: | | Chevron Supreme Coolant | | Fina Antifreeze (new not recycled) | |
| 8. | Fully Formulated Ethylene Glycol - purple, Chevron Delo or approved equal. | 330 gal. of premix per 55 gallon drum | \$480.27 | | \$510.95 | |
| | Brand Name of Product Bid: | | Chevron | Chevron Delo ELC Fina Antifreeze (new not rec | | new not recycled) |
| Purcha | sing Card Program - Indicate Yes or No. | | Y | es | No (We do accept Visa, b are approved for f | ut not on bid quotes. You ree 30 day credit.) |
| | Contact Name: | | Michae | l Griffith | James I | E. Ward |
| | Address: | | 5007 Der | 5007 Denver Street 2701 East Loui | | ouisiana Ave. |
| | City, State, Zip: | | Tampa, F | FL 33619 | Tampa, F | FL 33610 |
| | Telephone: | | 813-24 | 813-247-3417 813-236-5591 | | 6-5591 |
| | Fax: | | 813-248-5908 | | 813-238-7066 | |
| | Federal I.D. #: | | 591173292 591691937 | | 91937 | |
| | E-Mail: | | mgriffith@portc | mgriffith@portconsolidated.com wardoilco1@verizon.net | | verizon.net |
| | 1 | | Recorded by Eile | een Forrester | | |
| | | | Witnessed by Ca | arol A. Lichon | | |
| | | | | | | |

THE SCHOOL BOARD OF SARASOTA COUNTY, FLORIDA

Petroleum Products - Bid #9034

Justification for Award to Other Than Apparent Low Bidder

| Item # | Vendor | Justification |
|--------|--|--|
| | J.H. Williams Oil Company; | |
| 2 | Ward Oil Company, Inc. | Awarded to Palmdale Oil Company, Inc., as total overall low. |
| | J.H. Williams Oil Company for alternate product; | |
| 3 | Ward Oil Company, Inc. | Awarded to Palmdale Oil Company, Inc., as total overall low. |
| | J.H. Williams Oil Company; | |
| 4 | Ward Oil Company, Inc. | Awarded to Palmdale Oil Company, Inc., as total overall low. |
| 5 | Ward Oil Company, Inc. | Awarded to Palmdale Oil Company, Inc., as total overall low. |
| 6 | Ward Oil Company, Inc. | Awarded to Palmdale Oil Company, Inc., as total overall low. |
| 8 | J.H. Williams Oil Company | Awarded to Palmdale Oil Company, Inc., as total overall low. |